Telefax: +49 2375 915-1700



## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## Tin-Copper-Silver Alloys

Revision date: 23.11.2016 Product code: 950010 Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Tin-Copper-Silver Alloys

#### Further trade names

This MSDS covers the following products:

SCA0703 - SnCu0,7Ag0,3 SCAN-Ge0703 - SnCu0,7Ag0,3Ni

SCAN-Ge071 - SnCu0,7Ag1Ni

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

soft solder lead free

#### Uses advised against

any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Balver Zinn Josef Jost GmbH & Co. KG

Street: Blintroper Weg 11
Place: D-58802 Balve
Telephone: +49 2375 915-0

Responsible Department: sds@balverzinn.com

**1.4. Emergency telephone** Chemtrec: +44(0) 870-8200418

number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

#### 2.2. Label elements

#### Additional advice on labelling

Labelling according to Regulation (EC) No. 1272/2008 [CLP]: none

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **Chemical characterization**

solder alloy



according to Regulation (EC) No 1907/2006

## **Tin-Copper-Silver Alloys**

Revision date: 23.11.2016 Product code: 950010 Page 2 of 11

#### **Hazardous components**

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification according				
7440-31-5	tin			>90 %	
	231-141-8				
7440-22-4	silver			0,1 - 1,5 %	
	231-131-3		01-2119555669-21		
7440-50-8	copper			0,1 - 1 %	
	231-159-6				
7440-56-4	germanium	0 - 0,05 %			
	231-164-3				
7440-02-0	nickel				
	231-111-4	028-002-00-7	01-2119438727-29		
	Carc. 2, Skin Sens. 1, STOT RE 1; H351 H317 H372				

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. When in doubt or if symptoms are observed, get medical advice.

## After contact with skin

No special measures are necessary.

The melted product can cause severe burns. After contact with molten product, cool skin area rapidly with cold water. Burns caused by molten material must be treated clinically.

#### After contact with eyes

No special measures are necessary.

#### After ingestion

No special measures are necessary.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**



according to Regulation (EC) No 1907/2006

## Tin-Copper-Silver Alloys

Revision date: 23.11.2016 Product code: 950010 Page 3 of 11

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Sand

Extinguishing powder

D -powder

#### Unsuitable extinguishing media

Extinguishing media which must not be used for safety reasons:

Water

High power water jet

Water spray jet

## 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Metal oxide smoke, toxic

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.

Wear a self-contained breathing apparatus and chemical protective clothing.

#### Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

No special measures are necessary.

## 6.3. Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal.

Clean contaminated articles and floor according to the environmental legislation.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations.

Do not breathe smoke. Do not breathe dust.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

#### Further information on handling

General protection and hygiene measures: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

No special measures are necessary.

#### Advice on storage compatibility

Do not store together with: Explosives. Radioactive substances. Infectious substances.

#### 7.3. Specific end use(s)

refer to chapter 1.



according to Regulation (EC) No 1907/2006

## **Tin-Copper-Silver Alloys**

Revision date: 23.11.2016 Product code: 950010 Page 4 of 11

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
7440-50-8	Copper, dusts and mists (as Cu)	-	1		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL
7440-50-8	Copper, fume	-	0.2		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
-	Nickel and its inorganic compounds (except nickel tetracarbonyl): nickel and water-insoluble nickel compounds (as Ni)	-	0.5		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
7440-22-4	Silver, metallic	-	0.1		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL



according to Regulation (EC) No 1907/2006

## **Tin-Copper-Silver Alloys**

Revision date: 23.11.2016 Product code: 950010 Page 5 of 11

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
7440-31-5	tin			
Consumer DNEL, long-term		inhalation	systemic	3,476 mg/m <sup>3</sup>
Consumer DN	EL, acute	inhalation	systemic	3,476 mg/m³
Worker DNEL	, long-term	inhalation	systemic	11,75 mg/m³
Worker DNEL	, acute	inhalation	systemic	11,75 mg/m³
Consumer DN	EL, long-term	dermal	systemic	80 mg/kg bw/day
Worker DNEL	, acute	dermal	systemic	133,3 mg/kg bw/day
Consumer DN	EL, acute	dermal	systemic	80 mg/kg bw/day
Worker DNEL	, long-term	dermal	systemic	133,3 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	80 mg/kg bw/day
Consumer DN	EL, long-term	oral	systemic	80 mg/kg bw/day
7440-22-4	silver			
Consumer DN	EL, long-term	oral	systemic	1,2 mg/kg bw/day
Worker DNEL	, long-term	inhalation	systemic	0,1 mg/m³
Consumer DN	EL, long-term	inhalation	systemic	0,04 mg/m³
7440-50-8	copper			
Norker DNEL	, acute	dermal	systemic	273 mg/kg bw/da
Consumer DN	EL, acute	dermal	systemic	273 mg/kg bw/da
Consumer DN	EL, acute	inhalation	systemic	20 mg/m³
Worker DNEL	, long-term	inhalation	local	1 mg/m³
Consumer DN	EL, long-term	dermal	systemic	137 mg/kg bw/da
Worker DNEL	, long-term	dermal	systemic	137 mg/kg bw/da
Worker DNEL	, acute	inhalation	systemic	20 mg/m³
Consumer DN	EL, long-term	inhalation	local	1 mg/m³
7440-02-0	nickel			
Worker DNEL	, acute	inhalation	systemic	680 mg/m³
Worker DNEL	, long-term	inhalation	local	0,05 mg/m³
Worker DNEL	, long-term	inhalation	systemic	0,05 mg/m³
Worker DNEL	, acute	inhalation	local	4 mg/m³
Worker DNEL, long-term		dermal	local	0,035 mg/cm <sup>2</sup>
Consumer DNEL, long-term		inhalation	systemic	0,02 mg/m³
Consumer DNEL, acute		inhalation	systemic	408 mg/m³
Consumer DNEL, long-term		inhalation	local	0,02 mg/m³
Consumer DNEL, acute		inhalation	local	2,4 mg/m³
Consumer DNEL, long-term		dermal	local	0,035 mg/cm <sup>2</sup>
Consumer DNEL, long-term		oral	systemic	0,02 mg/kg bw/day
Consumer DN	EL, acute	oral	systemic	0,012 mg/kg bw/day



according to Regulation (EC) No 1907/2006

## **Tin-Copper-Silver Alloys**

Revision date: 23.11.2016 Product code: 950010 Page 6 of 11

#### **PNEC** values

CAS No	Substance	
Environmenta	al compartment	Value
7440-22-4	silver	
Soil		1,41 mg/kg
Freshwater		0,00004 mg/l
Marine sedim	nent	438,13 mg/kg
Freshwater s	438,13 mg/kg	
Marine water		0,00086 mg/l
Micro-organis	sms in sewage treatment plants (STP)	0,025 mg/l
7440-50-8	copper	
Freshwater sediment		87 mg/kg
Marine water	0,0052 mg/l	
Freshwater	0,0078 mg/l	
Marine sedim	678 mg/kg	
Micro-organis	0,23 mg/l	
Soil		65 mg/kg

#### 8.2. Exposure controls



#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Protective and hygiene measures

Keep away from food, drink and animal feedingstuffs. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Use protective skin cream before handling the product.

#### Eye/face protection

Wear eye/face protection.

#### Hand protection

Wear suitable gloves.

for coarse soldering works: heat insulating.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

In the case of wanting to use the gloves again, clean them before taking off and air them well. Before using check leak tightness / impermeability.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Protective clothing (heat-resistant)

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Provide adequate ventilation as well as local exhaustion at critical locations.

#### **Environmental exposure controls**

No special environmental measures are necessary.



according to Regulation (EC) No 1907/2006

## **Tin-Copper-Silver Alloys**

Revision date: 23.11.2016 Product code: 950010 Page 7 of 11

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state: solid

Colour: metallic, silver Odour: odourless

**Test method** 

pH-Value: not applicable

Changes in the physical state

Melting point:

SnCu0,7: 227 °C N/A

Initial boiling point and boiling range:

Sublimation point:

not determined

Softening point:

not determined

rot determined

not determined

not determined

**Flammability** 

Solid: not determined

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

**Auto-ignition temperature** 

Solid: not determined

Decomposition temperature: not determined

**Oxidizing properties** 

none

Vapour pressure: not determined

Density: 7,26 g/cm³ N/A

Bulk density: not determined Water solubility: insoluble

Solubility in other solvents

insoluble

Viscosity / dynamic: not determined
Viscosity / kinematic: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions



according to Regulation (EC) No 1907/2006

## **Tin-Copper-Silver Alloys**

Revision date: 23.11.2016 Product code: 950010 Page 8 of 11

No known hazardous reactions.

#### 10.4. Conditions to avoid

No information available.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

Can be released in case of fire: Metal oxide smoke, toxic

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

No information available.

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	
7440-31-5	tin					
	oral	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	inhalative (4 h) aerosol	LC50	(>4,75) mg/l	Rat	ECHA Dossier	
7440-22-4	silver					
	oral	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	dermal	LD50	>2000 mg/kg	Rat	ECHA Dossier	
	inhalative (4 h) aerosol	LC50	>5,16 mg/l	Rat	ECHA Dossier	
7440-50-8	copper					
	inhalative (4 h) aerosol	LC50	>5,11 mg/l	Rat	ECHA Dossier	
7440-02-0	nickel					
	oral	LD50	> 5000 mg/kg	Rat	ECHA Dossier	
_	inhalative aerosol	LC50	10,2 mg/l	Rat	ECHA Dossier	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Not an irritant.

Serious eye damage/eye irritation: Not an irritant.

## Sensitising effects

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: not sensitising.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## Tin-Copper-Silver Alloys

Revision date: 23.11.2016 Product code: 950010 Page 9 of 11

#### Specific effects in experiment on an animal

No data available

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	
7440-02-0	nickel						
	Acute fish toxicity	LC50	> 100 mg/l	96 h	Danio rerio	ECHA Dossier	
	Acute algae toxicity	ErC50	> 100 mg/l	72 h	Selenastrum capricornutum	ECHA Dossier	
	Acute crustacea toxicity	EC50	> 100 mg/l	48 h	Daphnia magna	ECHA Dossier	

#### 12.2. Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No data available

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Other adverse effects

No data available

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

## Advice on disposal

Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process. Control report for waste code/ waste marking according to EAKV:

# Waste disposal number of waste from residues/unused products

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

## Waste disposal number of used product

160304 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; inorganic wastes other than those mentioned in 16 03 03

#### Waste disposal number of contaminated packaging

150106 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

#### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted

# BALVER ZINN<sup>®</sup> COBAR<sup>®</sup>

## **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

	Tin-Copper-Silver Alloys	
Revision date: 23.11.2016	Product code: 950010	Page 10 of 11

14.4. Packing group: Not restricted

Inland waterways transport (ADN)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Marine transport (IMDG)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:Not restricted14.2. UN proper shipping name:Not restricted14.3. Transport hazard class(es):Not restricted14.4. Packing group:Not restricted

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Not restricted

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not restricted

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 27: nickel

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No: not relevant

#### **National regulatory information**

Water contaminating class (D): -- not water contaminating

**Additional information** 

Observe technical data sheet.

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### **SECTION 16: Other information**

#### Changes

Rev. 1.00; 11.06.2015, Initial release

Rev. 1.1; 23.11.2016, Indication of changes - chapter: 1, 2, 3, 6, 8, 15, 16.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route



according to Regulation (EC) No 1907/2006

## Tin-Copper-Silver Alloys

Revision date: 23.11.2016 Product code: 950010 Page 11 of 11

CAS Chemical Abstracts Service DNEL: Derived No Effect Level

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level NOAEC: No observed adverse effect level NTP: National Toxicology Program

N/A: not applicable

OSHA: Concerning the International Transport of Dangerous Goods by Rail)

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

SARA: Superfund Amendments and Reauthorization Act

SVHC: substance of very high concern TRGS Technische Regeln für Gefahrstoffe TSCA: Toxic Substances Control Act VOC: Volatile Organic Compounds

VwVwS: Verwaltungsvorschrift wassergefährdender Stoffe

WGK: Wassergefährdungsklasse

#### Relevant H and EUH statements (number and full text)

H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated exposure.

#### **Further Information**

Classification according EC regulation 1272/2008 (CLP): - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data. and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)